


Trailer specifications

'26

A Transporter

Overview




		130-	4019-27-2-12	4519-27-2-12	4519-30-2-12	4520-30-2-12	4521-30-2-12	5020-30-2-12	5020-35-2-12	5021-30-2-12	5021-35-2-12	5520-30-2-12
DIMENSIONS		dimensions in metres										
Bed width	A	1.9	1.9	1.9	2	2.1	2	2	2	2.1	2.1	2
Overall width (excl. marker lamp)	B	2.29	2.29	2.29	2.39	2.49	2.39	2.39	2.39	2.49	2.49	2.39
Overall width (inc. marker lamp)	C	2.64	2.64	2.64	2.74	2.84	2.74	2.74	2.74	2.84	2.84	2.74
Bed length	D	4.03	4.53	4.53	4.53	4.53	5.03	5.03	5.03	5.03	5.03	5.53
Overall length	E	5.7	6.2	6.2	6.2	6.2	6.7	6.7	6.7	6.7	6.7	7.2
Bed height	F	0.52	0.52	0.52	0.52	0.52	0.52	0.5	0.5	0.52	0.5	0.52
CAPACITY		weight in kg										
Gross capacity		2,700	2,700	3,000	3,000	3,000	3,000	3,500	3,000	3,500	3,000	3,000
Load capacity		1,955	1,945	2,245	2,230	2,215	2,200	2,665	2,180	2,645	2,165	2,165
LOADING ANGLES												
Fixed bed		11.5°	11.5°	11.5°	11.5°	11.5°	11.5°	10.5°	11.5°	10.5°	10.5°	11.5°
Tilt bed		7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°	7.5°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

A Transporter

Overview cont.



		130-		
		5520-35-2-12	5521-30-2-12	5521-35-2-12
DIMENSIONS		dimensions in metres		
Bed width	A	2	2.1	2.1
Overall width (excl. marker lamp)	B	2.39	2.49	2.49
Overall width (inc. marker lamp)	C	2.74	2.84	2.84
Bed length	D	5.53	5.53	5.53
Overall length	E	7.2	7.2	7.2
Bed height	F	0.5	0.52	0.5

CAPACITY		weight in kg		
Gross capacity		3,500	3,000	3,500
Load capacity		2,630	2,140	2,605

LOADING ANGLES				
Fixed bed		10.5°	11.5°	10.5°
Tilt bed		7.5°	7.5°	7.5°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]


A Transporter

Equipment cont.

		130-		
		5520-35-2-12	5521-30-2-12	5521-35-2-12
DECK		● Standard ○ Option		
	Slick pads x4	○	○	○
EXTERIOR				
	Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●
	Full LED lighting	●	●	●
LOADING				
	Loading ramps - 2m	●	●	●
	Manual / Electric tilt-bed	○	○	○
	Manual / Electric winch	○	○	○
	Support stands	●	●	●
LOAD RESTRAINT				
	Tie-down straps	○	○	○
	Wheel chocks	○	○	○
RUNNING GEAR				
	Alloy wheels - Anthracite	●	●	●
	Steel wheels	○	○	○
	Spare wheel	●	●	●
	Locking hitch	●	●	●
STORAGE				
	Deck storage	●	●	●
	Fuel can storage	○	○	○
	Tyre rack	○	○	○

Box Van

Overview




		600-									
		3016-27-2-12-B	3016-27-2-12-W	3516-27-2-12-B	3516-27-2-12-W	3518-27-2-12-B	3518-27-2-12-W	4018-27-2-12-B	4018-27-2-12-W	4018-35-2-12-B	4018-35-2-12-W
Body colour		Black	White	Black	White	Black	White	Black	White	Black	White
DIMENSIONS											
dimensions in metres											
Bed width	A	1.60	1.60	1.60	1.60	1.80	1.80	1.80	1.80	1.80	1.80
Overall width	B	2.08	2.08	2.08	2.08	2.28	2.28	2.28	2.28	2.28	2.28
Bed length	C	3.00	3.00	3.50	3.50	3.50	3.50	4.00	4.00	4.00	4.00
Overall length	D	4.87	4.87	5.37	5.37	5.37	5.37	5.87	5.87	5.89	5.89
Bed height	E	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44
Internal height	F	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00
Door aperture height	G	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99
Overall height	H	2.59	2.59	2.59	2.59	2.59	2.59	2.59	2.59	2.59	2.59
CAPACITY											
weight in kg											
Gross capacity		2,700	2,700	2,700	2,700	2,700	2,700	2,700	2,700	3,500	3,500
Load capacity		1,845	1,845	1,790	1,790	1,740	1,740	1,680	1,680	2,445	2,445
LOADING ANGLES											
– Not available											
Fixed bed		10°	10°	10°	10°	10°	10°	10°	10°	10°	10°
Tilt bed		–	–	–	–	–	–	–	–	–	–

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Box Van

Overview cont.



		600-					
		4519-30-2-12-B	4519-30-2-12-W	4519-35-2-12-B	4519-35-2-12-W	5019-35-2-12-B	5019-35-2-12-W
Body colour		Black	White	Black	White	Black	White
DIMENSIONS cont.							
		dimensions in metres					
Bed width	A	1.95	1.95	1.95	1.95	1.95	1.95
Overall width	B	2.43	2.43	2.43	2.43	2.43	2.43
Bed length	C	4.50	4.50	4.50	4.50	5.00	5.00
Overall length	D	6.37	6.37	6.39	6.39	6.79	6.79
Bed height	E	0.44	0.44	0.44	0.44	0.44	0.44
Internal height	F	2.00	2.00	2.00	2.00	2.00	2.00
Door aperture height	G	1.99	1.99	1.99	1.99	1.99	1.99
Overall height	H	2.59	2.59	2.59	2.59	2.59	2.59
CAPACITY cont.							
		weight in kg					
Gross capacity		3,000	3,000	3,500	3,500	3,500	3,500
Load capacity		1,875	1,875	2,355	2,355	2,270	2,270
LOADING ANGLES							
		– Not available					
Fixed bed		10°	10°	10°	10°	10°	10°
Tilt bed		–	–	–	–	–	–

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment


[illegible]

Box Van

Equipment

		600-					
		4519-30-2-12-B	4519-30-2-12-W	4519-35-2-12-B	4519-35-2-12-W	5019-35-2-12-B	5019-35-2-12-W
ACCESSORIES		● Standard ○ Option – Not available					
	Rear-view camera	○	○	○	○	○	○
	Spare wheel cover	○	○	○	○	○	○
DECK							
	Aluminium deck overly	○	○	○	○	○	○
EXTERIOR							
	Full LED lighting	●	●	●	●	●	●
	Gullwing side doors	–	–	–	–	–	–
	Pedestrian doors	●	●	●	●	●	●
	Side step	○	○	○	○	○	○
	Side step x2	○	○	○	○	○	○
INTERIOR							
	Full LED lighting	●	●	●	●	●	●
LOADING							
	Multi-function rear doors	●	●	●	●	●	●
	Support stands	●	●	●	●	●	●
LOAD RESTRAINT							
	Bicycle stand	○	○	○	○	○	○
	Bicycle stand x2	○	○	○	○	○	○
	Kart racking and wheel storage	○	○	○	○	○	○
	Load lock rails	●	●	●	●	●	●
	Load lock rails - High and low	○	○	○	○	○	○
	Motorcycle stand	○	○	○	○	○	○
	Motorcycle stand x2	○	○	○	○	○	○
	Shoring pole	○	○	○	○	○	○
RUNNING GEAR							
	Alloy wheels - Anthracite	●	●	●	●	●	●
	Steel wheels	○	○	○	○	○	○
	Locking hitch	●	●	●	●	●	●
STORAGE							
	Store station	○	○	○	○	○	○

Chassis Plant



Overview

		560-	
		2813-27-2-13	3813-35-2-12
DIMENSIONS		dimensions in metres	
Bed width	A	1.3	1.3
Overall width	B	1.83	1.94
Bed length	C	2.8	3.8
Overall length	D	4.56	5.52
Bed height	E	0.47	0.44

CAPACITY		weight in kg	
Gross capacity		2,700	3,500
Load capacity		2,240	2,975


Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

		560-	
		2813-27-2-13	3813-35-2-12
EXTERIOR		● Standard	○ Option
4x adjustable cross members		●	●
Full LED lighting		●	●
Heavy-duty metal mudguards		●	●
LOADING			
Front support stands		○	●
Rear support stands		●	●
RUNNING GEAR			
40mm eye coupling		○	○
Locking hitch		●	●
Spare wheel		●	●
Wheel nut indicators		●	●

Connect

Overview



		476-	3118-30-2-10	3618-30-2-10	3620-35-2-12	4020-35-2-12	4021-35-2-12	4521-35-3-10	4521-35-2-12	5021-35-3-10	5021-35-2-12	5021-35-3-12
DIMENSIONS			dimensions in metres									
Bed width (excl. sides)	A	1.88	1.88	1.88	1.99	1.92	2.13	2.13	2.13	2.13	2.13	2.13
Bed width (inc. sides)	B	1.78	1.78	1.78	1.89	1.82	2.03	2.03	2.03	2.03	2.03	2.03
Overall width (excl. marker lamp)	C	1.9	1.9	1.9	2.01	2.01	2.15	2.15	2.15	2.15	2.15	2.15
Overall width (inc. marker lamp)	D	–	–	–	2.18	2.18	2.32	2.32	2.32	2.32	2.32	2.32
Bed length	E	3.17	3.67	3.67	3.67	4.07	4.07	4.59	4.59	5.07	5.07	5.07
Overall length	F	4.74	5.24	5.24	5.27	5.67	5.94	6.13	6.13	6.58	6.58	6.58
Bed height	G	0.59	0.59	0.59	0.65	0.65	0.65	0.59	0.65	0.59	0.65	0.59

CAPACITY		weight in kg									
Gross capacity		3,000	3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,425	2,400	2,825	2,785	2,755	2,665	2,725	2,635	2,695	2,625

		5022-35-3-10	5022-35-2-12	5022-35-3-12	5521-35-3-10	5521-35-2-12	5521-35-3-12	5522-35-3-10	5522-35-2-12	5522-35-3-12	5524-35-3-12
DIMENSIONS		dimensions in metres									
Bed width (excl. sides)	A	2.27	2.27	2.27	2.13	2.13	2.13	2.27	2.27	2.27	2.41
Bed width (inc. sides)	B	2.17	2.17	2.17	2.03	2.03	2.03	2.17	2.17	2.17	2.31
Overall width (excl. marker lamp)	C	2.29	2.29	2.29	2.15	2.15	2.15	2.29	2.29	2.29	2.43
Overall width (inc. marker lamp)	D	2.46	2.46	2.46	2.32	2.32	2.32	2.46	2.46	2.46	2.6
Bed length	E	5.07	5.07	5.07	5.57	5.57	5.57	5.57	5.57	5.57	5.57
Overall length	F	6.58	6.58	6.58	7.17	7.17	7.17	7.17	7.17	7.17	7.17
Bed height	G	0.59	0.65	0.65	0.59	0.65	0.65	0.59	0.65	0.65	0.65

CAPACITY		weight in kg									
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,605	2,665	2,595	2,605	2,665	2,595	2,575	2,635	2,565	2,535

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk


Connect

Overview cont.

		476-		
			6022-35-3-12	6024-35-3-12
DIMENSIONS		dimensions in metres		
Bed width (excl. sides)	A	2.27	2.41	
Bed width (inc. sides)	B	2.17	2.31	
Overall width (excl. marker lamp)	C	2.29	2.43	
Overall width (inc. marker lamp)	D	2.46	2.6	
Bed length	E	6.09	6.09	
Overall length	F	7.63	7.63	
Bed height	G	0.65	0.65	

CAPACITY		weight in kg	
Gross capacity		3,500	3,500
Load capacity		2,535	2,505

Load capacity will vary depending on options fitted -
For accurate information on weights and pricing, use our interactive configurator at
www.brianjamestrailers.co.uk



[illegible]

Equipment cont.

[illegible]

Connect

Equipment cont.

476-		
6022-35-3-12		
6024-35-3-12		
EXTERIOR	● Standard	○ Option
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●
Full exterior LED lighting	●	●
DECK		
Deck storage	○	○
LOADING		
Battery w/ charger	○	○
Loading ramps - 1.8m	○	○
Loading ramps - 2.35m	○	○
Tail panel - 0.77m	○	○
Tail panel torsion bar	○	○
Tail panel assistor ramps	○	○
High-mesh tail panel - 1.66m	○	○
High-mesh tail panel - 1.8m	○	○
Manual / Electric tilt-bed	○	○
Manual / Electric winch	○	○
Support stands	○	○
LOAD RESTRAINT		
Tie-down straps	○	○
Wheel chocks / Stop bar	○	○
OPTION PACKS		
Electric assistance pack - includes: Electric winch, hydraulics, on-board battery & battery charger	○	○
RUNNING GEAR		
Alloy wheels - Anthracite	○	○
Eye coupling	○	○
Locking hitch	●	●
Spare wheel	●	●
SIDES		
Dropsides - available in 5 colours	○	○
Headboard - available in 5 colours	○	○
Ladder rack	○	○
Side extensions	○	○

Connect

Loading angles


	476-																			
	3118-30-2-10		3618-30-2-10		3620-35-2-12		4020-35-2-12		4021-35-2-12		4521-35-3-10		4521-35-2-12		5021-35-3-10		5021-35-2-12		5021-35-3-12	
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
Loading ramps - 1.8m	18.5°	–	18.5°	–	20.5°	–	20.5°	–	20.5°	–	18.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°
Loading ramps - 2.35m	14°	–	14°	–	15.5°	–	15.5°	–	15.5°	–	14°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°
Tail panel - 0.77m	–	–	–	–	–	–	–	–	–	–	–	19°	–	18.5°	–	19°	–	18.5°	–	18.5°
Tail panel - 0.77m w/ Assistor ramps	–	–	–	–	–	–	–	–	–	–	–	16/6.5°	–	15.5/6.5°	–	16/6.5°	–	15.5/6.5°	–	15.5/6.5°
High-mesh tail panel - 1.66m	20°	–	20°	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
High-mesh tail panel - 1.8m	–	–	–	–	19.5°	–	19.5°	–	19.5°	–	17.5°	7°	19.5°	7°	17.5°	7°	19.5°	7°	19.5°	7°

	5022-35-3-10		5022-35-2-12		5022-35-3-12		5521-35-3-10		5521-35-2-12		5521-35-3-12		5522-35-3-10		5522-35-2-12		5522-35-3-12		5524-35-3-12	
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
Loading ramps - 1.8m	18.5°	8°	20.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°	18.5°	8°	20.5°	8°	20.5°	8°	20.5°	8°
Loading ramps - 2.35m	14°	6°	15.5°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°	14°	6°	15.5°	6°	15.5°	6°	15.5°	6°
Tail panel - 0.77m	–	19°	–	18.5°	–	18.5°	–	19°	–	18.5°	–	18.5°	–	19°	–	18.5°	–	18.5°	–	18.5°
Tail panel - 0.77m w/ Assistor ramps	–	16/6.5°	–	15.5/6.5°	–	15.5/6.5°	–	16/6.5°	–	15.5/6.5°	–	15.5/6.5°	–	16/6.5°	–	15.5/6.5°	–	15.5/6.5°	–	15.5/6.5°
High-mesh tail panel - 1.66m	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
High-mesh tail panel - 1.8m	17.5°	7°	19.5°	7°	19.5°	7°	17.5°	7°	19.5°	7°	19.5°	7°	17.5°	7°	19.5°	7°	19.5°	7°	19.5°	7°

	6022-35-3-12		6024-35-3-12	
	Fixed	Tilt	Fixed	Tilt
Loading ramps - 1.8m	20.5°	8°	20.5°	8°
Loading ramps - 2.35m	15.5°	6°	15.5°	6°
Tail panel - 0.77m	–	18.5°	–	18.5°
Tail panel - 0.77m w/ Assistor ramps	–	15.5/6.5°	–	15.5/6.5°
High-mesh tail panel - 1.66m	–	–	–	–
High-mesh tail panel - 1.8m	19.5°	7°	19.5°	7°

Digger Plant

Overview



		543-	2813-27-2-13	2813-35-2-12	3216-35-2-12	3217-35-2-12	3717-35-2-12
DIMENSIONS		dimensions in metres					
Bed width	A	1.3	1.3	1.6	1.7	1.7	
Overall width (excl. marker lamp)	B	1.78	1.78	2.1	2.32	2.32	
Overall width (inc. marker lamp)	C	–	–	–	2.5	2.5	
Bed length	D	2.8	2.8	3.2	3.2	3.7	
Overall length	E	4.65	4.65	5.2	5.2	5.7	
Bed height	F	0.38	0.4	0.4	0.4	0.4	

CAPACITY		weight in kg					
Gross capacity		2,700	3,500	3,500	3,500	3,500	
Load capacity		2,152	2,893	2,833	2,798	2,736	

Load capacity will vary depending on options fitted -
For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk


Digger Plant - A

Overview

		543-
		3217-35-2-12-A
DIMENSIONS		dimensions in metres
Bed width	A	1.7
Overall width (excl. marker lamp)	B	2.32
Overall width (inc. marker lamp)	C	2.5
Bed length	D	3.2
Overall length (fully extended)	E	5.64
Overall length (fully retracted)	F	5.39
Overall length (60° retracted)	G	5.63
Bed height	H	0.4

CAPACITY		weight in kg
Gross capacity		3,500
Load capacity		2,713

Load capacity will vary depending on options fitted -
For accurate information on weights and pricing, use our interactive configurator at
www.brianjamestrailers.co.uk



Digger Plant

Equipment


	543-				
	2813-27-2-13	2813-35-2-12	3216-35-2-12	3217-35-2-12	3717-35-2-12
EXTERIOR		● Standard ○ Option			
Full exterior LED lighting	●	●	●	●	●
LOADING					
Adjustable loading ramps - 1.62m	●	●	●	●	●
Heavy-duty loading panel - 1.7m	○	○	○	○	○
Chapter 8 chevrons	○	○	○	○	○
Manual / Electric winch	○	○	○	○	○
LOAD RESTRAINT					
Bucket locker	○	○	○	○	○
Bucket rest	●	●	●	●	●
Digger arm lock	○	○	○	○	○
Tie-down straps	○	○	○	○	○
TracStrap	○	○	○	○	○
Heavy-duty TracStrap	○	○	○	○	○
Wheel chocks / Stop bar	○	○	○	○	○
RUNNING GEAR					
Eye coupling	○	○	○	○	○
Locking hitch	●	●	●	●	●
Spare wheel	●	●	●	●	●

Loading angles

	543-				
	2813-27-2-13	2813-35-2-12	3216-35-2-12	3217-35-2-12	3717-35-2-12
Adjustable loading ramps - 1.62m	14.5°	13.5°	13.5°	13.5°	13.5°
Heavy-duty loading panel - 1.7m	16°	15°	15°	15°	15°

General Plant

Overview



		551-	2713-27-2-13	2716-27-2-13	3117-35-2-13	3617-35-2-13	3618-35-3-12	4017-35-2-13	4018-35-3-12
DIMENSIONS		dimensions in metres							
Bed width	A	1.3	1.6	1.7	1.7	1.8	1.7	1.8	
Overall width (excl. marker lamp)	B	1.91	2.21	2.31	2.31	2.41	2.31	2.41	
Overall width (inc. marker lamp)	C	–	2.4	2.5	2.5	2.6	2.5	2.6	
Bed length	D	2.8	2.8	3.2	3.7	3.7	4.1	4.1	
Overall length	E	4.4	4.4	4.8	5.3	5.3	5.7	5.7	
Bed height	F	0.45	0.45	0.43	0.43	0.43	0.43	0.43	

CAPACITY		weight in kg							
Gross capacity		2,700	2,700	3,500	3,500	3,500	3,500	3,500	
Load capacity		2,113	2,063	2,766	2,717	2,646	2,698	2,623	

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

General Plant

Equipment


		551-						
		2713-27-2-13	2716-27-2-13	3117-35-2-13	3617-35-2-13	3618-35-3-12	4017-35-2-13	4018-35-3-12
EXTERIOR								
Body trim available in Blue, Red, Anthracite, Black & Yellow		●	●	●	●	●	●	●
Full exterior LED lighting		●	●	●	●	●	●	●
LOADING								
Loading ramps - 1.62m		●	●	●	●	●	●	●
Chapter 8 chevrons		○	○	○	○	○	○	○
Heavy-duty tail panel		○	○	○	○	○	○	○
Manual / Electric winch		○	○	○	○	○	○	○
LOAD RESTRAINT								
Bucket rest		○	○	○	○	○	○	○
Digger arm lock		○	○	○	○	○	○	○
Tie-down straps		○	○	○	○	○	○	○
TracStrap		○	○	○	○	○	○	○
Wheel chocks / Stop bar		○	○	○	○	○	○	○
RUNNING GEAR								
Locking hitch		●	●	●	●	●	●	●
Eye coupling		○	○	○	○	○	○	○
Spare wheel		●	●	●	●	●	●	●
SIDES								
Double-height side extensions - available in 5 colours		○	○	○	○	○	○	○
Ladder rack		○	○	○	○	○	○	○
Side extensions		○	○	○	○	○	○	○
STORAGE								
Storage lockers		○	○	○	○	○	○	○

Loading angles

		551-						
		2713-27-2-13	2716-27-2-13	3117-35-2-13	3617-35-2-13	3618-35-3-12	4017-35-2-13	4018-35-3-12
Loading ramps - 1.62m		18°	18°	18°	18°	17°	18°	17°
Heavy-duty tail panel		20°	20°	20°	20°	19°	20°	19°

Race Box

Overview



	610-					
	4019-30-2-12-B	4019-30-2-12-W	4519-30-2-12-B	4519-30-2-12-W	5019-30-2-12-B	5019-30-2-12-W
Body colour	Black	White	Black	White	Black	White

DIMENSIONS							
dimensions in metres							
Bed width	A	1.93	1.93	1.93	1.93	1.93	1.93
Overall width	B	2.43	2.43	2.43	2.43	2.43	2.43
Bed length	C	4.19	4.19	4.69	4.69	5.09	5.09
Overall length	D	5.83	5.83	6.37	6.37	6.73	6.73
Bed height	E	0.44	0.44	0.44	0.44	0.44	0.44
Internal height	F	2.01	2.01	2.01	2.01	2.01	2.01
Door aperture height	G	1.99	1.99	1.99	1.99	1.99	1.99
Overall height	H	2.59	2.59	2.59	2.59	2.59	2.59

CAPACITY							
weight in kg							
Gross capacity		3,000	3,000	3,000	3,000	3,000	3,000
Load capacity		1,950	1,950	1,910	1,910	1,865	1,865

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Race Box


Equipment

		610-					
		4019-30-2-12-B	4019-30-2-12-W	4519-30-2-12-B	4519-30-2-12-W	5019-30-2-12-B	5019-30-2-12-W
ACCESSORIES		● Standard ○ Option					
	Rear-view camera	○	○	○	○	○	○
	Spare wheel cover	○	○	○	○	○	○
EXTERIOR							
	Full LED lighting	●	●	●	●	●	●
	Gullwing side doors	●	●	●	●	●	●
	Pedestrian doors	●	●	●	●	●	●
INTERIOR							
	Full LED lighting	●	●	●	●	●	●
LOADING							
	Battery w/ charger	○	○	○	○	○	○
	Electric winch	○	○	○	○	○	○
	Full-width loading door	●	●	●	●	●	●
	Assistor ramps	○	○	○	○	○	○
	Race ramps	○	○	○	○	○	○
	Support stands	●	●	●	●	●	●
LOAD RESTRAINT							
	Load lock rail	●	●	●	●	●	●
	Slick pads x4	○	○	○	○	○	○
	Tie-down straps	○	○	○	○	○	○
	Tyre rack	○	○	○	○	○	○
	Wheel chocks	○	○	○	○	○	○
RUNNING GEAR							
	Alloy wheels - Anthracite	●	●	●	●	●	●
	Steel wheels	○	○	○	○	○	○
	Locking hitch	●	●	●	●	●	●
STORAGE							
	Store station	○	○	○	○	○	○

Loading angles

		610-					
		4019-30-2-12-B	4019-30-2-12-W	4519-30-2-12-B	4519-30-2-12-W	5019-30-2-12-B	5019-30-2-12-W
	Rear door	10°	10°	10°	10°	10°	10°
	Rear door w/ Assistor ramps	9.5/3.5°	9.5/3.5°	9.5/3.5°	9.5/3.5°	9.5/3.5°	9.5/3.5°
	Rear door w/ Race ramps	9/4°	9/4°	9/4°	9/4°	9/4°	9/4°

Race Shuttle



Overview

		330-	
		4319-26-2-12	4719-30-2-12
DIMENSIONS		dimensions in metres	
Bed width	A	1.95	1.95
Overall width	B	2.32	2.34
Bed length	C	4.3	4.7
Overall length	D	5.82	6.2
Bed height	E	0.42	0.42
Internal height	F	1.53	1.6
Door aperture height	G	2.4	2.5
Overall height	H	1.94	1.99

CAPACITY		weight in kg	
Gross capacity		2,600	3,000
Load capacity		1,765	2,070

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment


		330-	
		4319-26-2-12	4719-30-2-12
EXTERIOR		● Standard	○ Option
Full LED lighting		●	●
LOADING			
Loading ramps - 2.5m		●	●
Manual / Electric winch		○	○
Manual tilt-bed		●	●
LOAD RESTRAINT			
Tie-down straps		●	●
Wheel chocks / Stop bar		○	○
RUNNING GEAR			
Alloy wheels - Anthracite		●	●
Locking hitch		●	●
Spare wheel		●	●
STORAGE			
Tyre rack		○	○

Loading angles

		330-	
		4319-26-2-12	4719-30-2-12
Loading ramps - 2.5m		2.5°	3.1°

Race Sport

Overview




		341-	5020-30-2-12-B	5020-30-2-12-W	5020-35-2-12-B	5020-35-2-12-W	5021-30-2-12-B	5021-30-2-12-W	5021-35-2-12-B	5021-35-2-12-W	5520-30-2-12-B	5520-30-2-12-W
DIMENSIONS			dimensions in metres									
Bed width	A	2.0	2.0	2.0	2.0	2.1	2.1	2.1	2.1	2.1	2.0	2.0
Overall width	B	2.39	2.39	2.39	2.39	2.49	2.49	2.49	2.49	2.49	2.39	2.39
Bed length	C	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.53	5.53
Overall length	D	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	7.4	7.4
Bed height	E	0.52	0.52	0.5	0.5	0.52	0.52	0.5	0.5	0.5	0.52	0.52
Internal height	F	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.56	2.56	2.54	2.54	2.56	2.56	2.54	2.54	2.54	2.56	2.56
CAPACITY			weight in kg									
Gross capacity		3,000	3,000	3,500	3,500	3,000	3,000	3,500	3,500	3,500	3,000	3,000
Load capacity		1,700	1,700	2,170	2,170	1,685	1,685	2,150	2,150	2,150	1,670	1,670

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Race Sport

Overview cont.



		341-	5520-35-2-12-B	5520-35-2-12-W	5521-30-2-12-B	5521-30-2-12-W	5521-35-2-12-B	5521-35-2-12-W
DIMENSIONS		dimensions in metres						
Bed width	A	2.0	2.0	2.1	2.1	2.1	2.1	2.1
Overall width	B	2.39	2.39	2.49	2.49	2.49	2.49	2.49
Bed length	C	5.53	5.53	5.53	5.53	5.53	5.53	5.53
Overall length	D	7.4	7.4	7.4	7.4	7.4	7.4	7.4
Bed height	E	0.5	0.5	0.52	0.52	0.5	0.5	0.5
Internal height	F	1.96	1.96	1.96	1.96	1.96	1.96	1.96
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.54	2.54	2.56	2.56	2.54	2.54	2.54
CAPACITY		weight in kg						
Gross capacity		3,500	3,500	3,000	3,000	3,500	3,500	3,500
Load capacity		2,140	2,140	1,650	1,650	2,115	2,115	2,115

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]

Race Sport

Equipment


	341-						
	5520-35-2-12-B	5520-35-2-12-W	5521-30-2-12-B	5521-30-2-12-W	5521-35-2-12-B	5521-35-2-12-W	
ACCESSORIES	● Standard ○ Option						
Awning - available as LH, RH & both	○	○	○	○	○	○	
Mains power unit	○	○	○	○	○	○	
360° camera	○	○	○	○	○	○	
Rear-view camera	○	○	○	○	○	○	
Reverse / Rear-view camera	○	○	○	○	○	○	
Solar panel	○	○	○	○	○	○	
DECK							
Slick pads x4	○	○	○	○	○	○	
EXTERIOR							
Front access hatches	●	●	●	●	●	●	
Split side doors	●	●	●	●	●	●	
LIGHTING - EXTERIOR							
Flashing side marker lights	○	○	○	○	○	○	
Full LED lighting	●	●	●	●	●	●	
Loading lights	○	○	○	○	○	○	
Reverse lights	○	○	○	○	○	○	
LIGHTING - INTERIOR							
Full LED lighting	●	●	●	●	●	●	
LOADING							
Battery w/ charger	●	●	●	●	●	●	
Manual / Electric tilt-bed	○	○	○	○	○	○	
Assistor ramps	○	○	○	○	○	○	
Race ramps	○	○	○	○	○	○	
Electric winch	●	●	●	●	●	●	
Support stands	●	●	●	●	●	●	
LOAD RESTRAINT							
Tie-down straps	●	●	●	●	●	●	
Wheel chocks	●	●	●	●	●	●	
RUNNING GEAR							
Alloy wheels - Anthracite	●	●	●	●	●	●	
Steel wheels	○	○	○	○	○	○	
Spare wheel	●	●	●	●	●	●	
Locking hitch	●	●	●	●	●	●	
STORAGE							
Deck storage	●	●	●	●	●	●	
Store station	○	○	○	○	○	○	
Tyre rack / Workbench	○	○	○	○	○	○	

Loading angles

[illegible]

Race Transporter 7

Overview



	397-										
	5520-35-2-12-B	5520-35-2-12-W	5520-35-3-10-B	5520-35-3-10-W	5521-35-2-12-B	5521-35-2-12-W	5521-35-3-10-B	5521-35-3-10-W	5523-35-2-12-B	5523-35-2-12-W	
Body colour	Black	White	Black	White	Black	White	Black	White	Black	White	

DIMENSIONS		dimensions in metres									
Bed width	A	2.02	2.02	2.02	2.02	2.12	2.12	2.12	2.12	2.3	2.3
Overall width	B	2.28	2.28	2.28	2.28	2.38	2.38	2.38	2.38	2.55	2.55
Bed length	C	5.66	5.66	5.66	5.66	5.66	5.66	5.66	5.66	5.66	5.66
Overall length	D	7.43	7.43	7.43	7.43	7.43	7.43	7.43	7.43	7.43	7.43
Bed height	E	0.63	0.63	0.61	0.61	0.63	0.63	0.61	0.61	0.63	0.63
Internal height	F	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94	1.94
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.7	2.7	2.69	2.69	2.7	2.7	2.69	2.69	2.7	2.7

CAPACITY		weight in kg									
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,170	2,170	2,100	2,100	2,155	2,155	2,085	2,085	2,135	2,135

	5523-35-3-10-B	5523-35-3-10-W	6023-35-2-12-B	6023-35-2-12-W	6023-35-3-10-B	6023-35-3-10-W
Body colour	Black	White	Black	White	Black	White

DIMENSIONS cont.		dimensions in metres					
Bed width	A	2.3	2.3	2.3	2.3	2.3	2.3
Overall width	B	2.55	2.55	2.55	2.55	2.55	2.55
Bed length	C	5.66	5.66	6.16	6.16	6.16	6.16
Overall length	D	7.43	7.43	7.93	7.93	7.93	7.93
Bed height	E	0.61	0.61	0.63	0.63	0.61	0.61
Internal height	F	1.94	1.94	1.94	1.94	1.94	1.94
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.69	2.69	2.7	2.7	2.69	2.69

CAPACITY cont.		weight in kg					
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,060	2,060	2,075	2,075	2,000	2,000

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

		397-									
		5520-35-2-12-B	5520-35-2-12-W	5520-35-3-10-B	5520-35-3-10-W	5521-35-2-12-B	5521-35-2-12-W	5521-35-3-10-B	5521-35-3-10-W	5523-35-2-12-B	5523-35-2-12-W
ACCESSORIES		Standard Option									
	Awning - available as LH, RH & both										
	Mains power unit										
	360° camera										
	Rear-view camera										
	Reverse / Rear-view camera										
	Solar panel										
DECK											
	Lightweight 'Scaffodeck' floor										
	Heavy-duty steel deck pads										
EXTERIOR											
	Additional height (+220mm)										
	Front access hatches										
	Split side doors										
LIGHTING - EXTERIOR											
	Flashing side marker lights										
	Full LED lighting										
	Loading lights										
	Reverse lights										
LIGHTING - INTERIOR											
	Full LED lighting										
LOADING											
	Battery w/ charger										
	Electric tilt-bed										
	Electric rear door / ramp										
	Assistor ramps										
	Race ramps										
	Electric winch										
	Heavy-duty electric winch										
LOAD RESTRAINT											
	Tie-down straps										
	Wheel chocks / Stop bar										
RUNNING GEAR											
	Alloy wheels - Anthracite										
	Spare wheel w/ cover										
	Additional spare wheel w/ cover										
	Locking hitch										
STORAGE											
	Deck storage										
	Store station										
	Tyre rack / Workbench / Vice										

Equipment cont.

		397-					
		5523-35-3-10-B	5523-35-3-10-B	6023-35-2-12-B	6023-35-2-12-W	6023-35-3-10-B	6023-35-3-10-W
ACCESSORIES		● Standard ○ Option					
	Awning - available as LH, RH & both	○	○	○	○	○	○
	Mains power unit	○	○	○	○	○	○
	360° camera	○	○	○	○	○	○
	Rear-view camera	○	○	○	○	○	○
	Reverse / Rear-view camera	○	○	○	○	○	○
	Solar panel	○	○	○	○	○	○
DECK							
	Lightweight 'Scaffodeck' floor	●	●	●	●	●	●
	Heavy-duty steel deck pads	●	●	●	●	●	●
EXTERIOR							
	Additional height (+220mm)	○	○	○	○	○	○
	Front access hatches	●	●	●	●	●	●
	Split side doors	●	●	●	●	●	●
LIGHTING - EXTERIOR							
	Flashing side marker lights	○	○	○	○	○	○
	Full LED lighting	●	●	●	●	●	●
	Loading lights	●	●	●	●	●	●
	Reverse lights	●	●	●	●	●	●
LIGHTING - INTERIOR							
	Full LED lighting	●	●	●	●	●	●
LOADING							
	Battery w/ charger	●	●	●	●	●	●
	Electric tilt-bed	●	●	●	●	●	●
	Electric rear door / ramp	●	●	●	●	●	●
	Assistor ramps	○	○	○	○	○	○
	Race ramps	○	○	○	○	○	○
	Electric winch	●	●	●	●	●	●
	Heavy-duty electric winch	○	○	○	○	○	○
LOAD RESTRAINT							
	Tie-down straps	●	●	●	●	●	●
	Wheel chocks / Stop bar	●	●	●	●	●	●
RUNNING GEAR							
	Alloy wheels - Anthracite	●	●	●	●	●	●
	Spare wheel w/ cover	●	●	●	●	●	●
	Additional spare wheel w/ cover	○	○	○	○	○	○
	Locking hitch	●	●	●	●	●	●
STORAGE							
	Deck storage	●	●	●	●	●	●
	Store station	○	○	○	○	○	○
	Tyre rack / Workbench / Vice	○	○	○	○	○	○

Race Transporter 7



Loading angles

	397-									
	5520-35-2-12-B	5520-35-2-12-W	5520-35-3-10-B	5520-35-3-10-W	5521-35-2-12-B	5521-35-2-12-W	5521-35-3-10-B	5521-35-3-10-W	5523-35-2-12-B	5523-35-2-12-W
Powered rear door	9°	9°	8°	8°	9°	9°	8°	8°	9°	9°
Powered rear door w/ Assistor ramps	7/3.5°	7/3.5°	6/3.5°	6/3.5°	7/3.5°	7/3.5°	6/3.5°	6/3.5°	7/3.5°	7/3.5°
Powered rear door w/ Race Ramps	7/4°	7/4°	5.5/4°	5.5/4°	7/4°	7/4°	5.5/4°	5.5/4°	7/4°	7/4°

	5523-35-3-10-B	5523-35-3-10-W	6023-35-2-12-B	6023-35-2-12-W	6023-35-3-10-B	6023-35-3-10-W
Powered rear door	8°	8°	9°	9°	8°	8°
Powered rear door w/ Assistor ramps	6/3.5°	6/3.5°	7/3.5°	7/3.5°	6/3.5°	6/3.5°
Powered rear door w/ Race Ramps	5.5/4°	5.5/4°	7/4°	7/4°	5.5/4°	5.5/4°

Tipper

Overview



		526-	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
DIMENSIONS		dimensions in metres					
Bed width (excl. sides)	A	1.69	1.69	2.09	2.09	2.09	2.09
Bed width (inc. sides)	B	1.6	1.6	2.0	2.0	2.0	2.0
Overall width (excl. marker lamp)	C	1.71	1.71	2.11	2.11	2.11	2.11
Overall width (inc. marker lamp)	D	–	–	2.34	2.34	2.34	2.34
Bed length	E	3.2	3.2	3.7	3.7	4.1	4.1
Overall length	F	4.53	4.53	5.03	5.03	5.43	5.43
Bed height	G	0.71	0.73	0.73	0.71	0.73	0.71
CAPACITY		weight in kg					
Gross capacity		2,700	3,500	3,500	3,500	3,500	3,500
Load capacity		1,830	2,495	2,361	2,328	2,370	2,300

Loading angles

		526-	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
Loading ramps - 1.8m		24°	24°	24°	24°	24°	24°
Loading ramps - 2.35m		18°	18°	18°	18°	18°	18°

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Tipper

Equipment

	526-					
	3116-27-2-12	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
DECK			● Standard	○ Option	– Not available	
Reinforced deck	●	●	●	●	●	●
EXTERIOR						
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●	●	●	●
Full exterior LED lighting	●	●	●	●	●	●
HYDRAULIC RAMS						
Single ram	●	●	–	–	–	–
Twin rams	–	–	●	●	●	●
LOADING						
Electric winch	○	○	○	○	○	○
Loading ramps - 1.8m or 2.35m	○	○	○	○	○	○
Support stands	○	○	○	○	○	○
LOAD RESTRAINT						
Tie-down straps	○	○	○	○	○	○
RUNNING GEAR						
Alloy wheels - Anthracite	○	○	○	○	○	○
Battery w/ trickle charger	●	●	●	●	●	●
Mains battery charger	○	○	○	○	○	○
Locking hitch	●	●	●	●	●	●
Spare wheel	●	●	●	●	●	●
SIDES						
2-way tailgate - available in 5 colours	●	●	●	●	●	●
Side-hinged doors	○	○	○	○	○	○
Dropsides - available in 5 colours	●	●	●	●	●	●
Double-height side extensions - available in 5 colours	○	○	○	○	○	○
Side extensions	○	○	○	○	○	○
Heavy-duty side extensions	○	○	○	○	○	○
Ladder rack	○	○	○	○	○	○
STORAGE						
Storage box	●	●	●	●	●	●


Tipper

Equipment

	526-					
	3116-27-2-12	3116-35-2-12	3620-35-2-12	3620-35-3-12	4020-35-2-12	4020-35-3-12
DECK			● Standard	○ Option	– Not available	
Reinforced deck	●	●	●	●	●	●
EXTERIOR						
Body trim available in Blue, Red, Anthracite, Black & Yellow	●	●	●	●	●	●
Full exterior LED lighting	●	●	●	●	●	●
HYDRAULIC RAMS						
Single ram	●	●	–	–	–	–
Twin rams	–	–	●	●	●	●
LOADING						
Electric winch	○	○	○	○	○	○
Loading ramps - 1.8m or 2.35m	○	○	○	○	○	○
Support stands	○	○	○	○	○	○
LOAD RESTRAINT						
Tie-down straps	○	○	○	○	○	○
RUNNING GEAR						
Alloy wheels - Anthracite	○	○	○	○	○	○
Battery w/ trickle charger	●	●	●	●	●	●
Mains battery charger	○	○	○	○	○	○
Locking hitch	●	●	●	●	●	●
Spare wheel	●	●	●	●	●	●
SIDES						
2-way tailgate - available in 5 colours	●	●	●	●	●	●
Side-hinged doors	○	○	○	○	○	○
Dropsides - available in 5 colours	●	●	●	●	●	●
Double-height side extensions - available in 5 colours	○	○	○	○	○	○
Side extensions	○	○	○	○	○	○
Heavy-duty side extensions	○	○	○	○	○	○
Ladder rack	○	○	○	○	○	○
STORAGE						
Storage box	●	●	●	●	●	●

T Transporter

Overview



		231-	4520-30-2-10	4520-35-2-12	4521-35-3-10	4521-35-2-12	5021-35-3-10	5021-35-2-12	5021-35-3-12	5022-35-3-10	5022-35-2-12	5022-35-3-12
DIMENSIONS			dimensions in metres									
Bed width (excl. sides)	A	2.0	2.0	2.14	2.14	2.14	2.14	2.14	2.14	2.28	2.28	2.28
Bed width (inc. sides)	B	1.96	1.96	2.1	2.1	2.1	2.1	2.1	2.1	2.24	2.24	2.24
Overall width (excl. marker lamp)	C	2.04	2.04	2.18	2.18	2.18	2.18	2.18	2.18	2.32	2.32	2.32
Overall width (inc. marker lamp)	D	2.23	2.23	2.37	2.37	2.37	2.37	2.37	2.37	2.51	2.51	2.51
Bed length	E	4.52	4.52	4.52	4.52	5.02	5.02	5.02	5.02	5.02	5.02	5.02
Overall length	F	6.09	6.09	6.09	6.09	6.6	6.6	6.6	6.6	6.6	6.6	6.6
Bed height	G	0.59	0.65	0.59	0.65	0.59	0.65	0.65	0.65	0.59	0.65	0.65

CAPACITY		weight in kg									
Gross capacity		3,000	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,207	2,672	2,602	2,657	2,540	2,600	2,535	2,530	2,580	2,525

		5521-35-3-10	5521-35-2-12	5521-35-3-12	5522-35-3-10	5522-35-2-12	5522-35-3-12	5523-35-3-12	6022-35-3-12	6023-35-3-12
DIMENSIONS		dimensions in metres								
Bed width (excl. sides)	A	2.14	2.14	2.14	2.28	2.28	2.28	2.42	2.28	2.42
Bed width (inc. sides)	B	2.1	2.1	2.1	2.24	2.24	2.24	2.38	2.24	2.38
Overall width (excl. marker lamp)	C	2.18	2.18	2.18	2.32	2.32	2.32	2.46	2.32	2.46
Overall width (inc. marker lamp)	D	2.37	2.37	2.37	2.51	2.51	2.51	2.65	2.51	2.65
Bed length	E	5.52	5.52	5.52	5.52	5.52	5.52	5.52	6.02	6.02
Overall length	F	7.1	7.1	7.1	7.1	7.1	7.1	7.1	7.6	7.6
Bed height	G	0.59	0.65	0.65	0.59	0.65	0.65	0.65	0.65	0.65

CAPACITY		weight in kg								
Gross capacity		3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500	3,500
Load capacity		2,512	2,575	2,507	2,482	2,542	2,472	2,442	2,442	2,420

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]

T Transporter

Loading angles

	231-																					
	4520-30-2-10		4520-35-2-12		4521-35-3-10		4521-35-2-12		5021-35-3-10		5021-35-2-12		5021-35-3-12		5022-35-3-10		5022-35-2-12		5022-35-3-12			
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt		
Loading ramps - 1.8m	16.5°	6°	18.5°	6°	16.5°	6°	18.5°	6°	16.5°	6°	18.5°	6°	18.5°	6°	16.5°	6°	18.5°	6°	18.5°	6°		
Loading ramps - 1.8m w/ Assistor ramps	14/3.5°	4/3.5°	16.5/3.5°	4/3.5°	14/3.5°	4/3.5°	16.5/3.5°	4/3.5°	14/3.5°	4/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°	14/3.5°	4/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°		
Loading ramps - 2.35m	12.5°	4.5°	14°	4.5°	12.5°	4.5°	14°	4.5°	12.5°	4.5°	14°	4.5°	14°	4.5°	12.5°	4.5°	14°	4.5°	14°	4.5°		
Loading ramps - 2.35m w/ Assistor ramps	10.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	10.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	10.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	10.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°		
Tail ramp	-	21.5°	-	21.5°	-	21.5°	-	21.5°	-	21.5°	-	20.5°	-	20.5°	-	21.5°	-	20.5°	-	20.5°		
Tail ramp w/ Assistor ramps	-	13.5°	-	19°	-	13.5°	-	19°	-	13.5°	-	12.5°	-	12.5°	-	13.5°	-	12.5°	-	12.5°		

	5521-35-3-10		5521-35-2-12		5521-35-3-12		5522-35-3-10		5522-35-2-12		5522-35-3-12		5523-35-3-12		6022-35-3-12		6023-35-3-12	
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
Loading ramps - 1.8m	16.5°	6°	18.5°	6°	18.5°	6°	16.5°	6°	18.5°	6°	18.5°	6°	18.5°	6°	18.5°	6°	18.5°	6°
Loading ramps - 1.8m w/ Assistor ramps	14/3.5°	4/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°	14/3.5°	4/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°	16.5/3.5°	3.5/3.5°
Loading ramps - 2.35m	12.5°	4.5°	14°	4.5°	14°	4.5°	12.5°	4.5°	14°	4.5°	14°	4.5°	14°	4.5°	14°	4.5°	14°	4.5°
Loading ramps - 2.35m w/ Assistor ramps	10.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	10.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°	12.5/3.5°	3/3.5°
Tail ramp	-	21.5°	-	20.5°	-	20.5°	-	21.5°	-	20.5°	-	20.5°	-	20.5°	-	20.5°	-	20.5°
Tail ramp w/ Assistor ramps	-	13.5°	-	12.5°	-	12.5°	-	13.5°	-	12.5°	-	12.5°	-	12.5°	-	12.5°	-	12.5°