


Race Sport

Overview




		341-	5020-30-2-12-B	5020-30-2-12-W	5020-35-2-12-B	5020-35-2-12-W	5021-30-2-12-B	5021-30-2-12-W	5021-35-2-12-B	5021-35-2-12-W	5520-30-2-12-B	5520-30-2-12-W
DIMENSIONS			dimensions in metres									
Bed width	A	2.0	2.0	2.0	2.0	2.1	2.1	2.1	2.1	2.1	2.0	2.0
Overall width	B	2.39	2.39	2.39	2.39	2.49	2.49	2.49	2.49	2.49	2.39	2.39
Bed length	C	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.03	5.53	5.53
Overall length	D	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	7.4	7.4
Bed height	E	0.52	0.52	0.5	0.5	0.52	0.52	0.5	0.5	0.5	0.52	0.52
Internal height	F	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96	1.96
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.56	2.56	2.54	2.54	2.56	2.56	2.54	2.54	2.54	2.56	2.56
CAPACITY			weight in kg									
Gross capacity		3,000	3,000	3,500	3,500	3,000	3,000	3,500	3,500	3,500	3,000	3,000
Load capacity		1,700	1,700	2,170	2,170	1,685	1,685	2,150	2,150	2,150	1,670	1,670

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Race Sport

Overview cont.



		341-	5520-35-2-12-B	5520-35-2-12-W	5521-30-2-12-B	5521-30-2-12-W	5521-35-2-12-B	5521-35-2-12-W
DIMENSIONS		dimensions in metres						
Bed width	A	2.0	2.0	2.1	2.1	2.1	2.1	2.1
Overall width	B	2.39	2.39	2.49	2.49	2.49	2.49	2.49
Bed length	C	5.53	5.53	5.53	5.53	5.53	5.53	5.53
Overall length	D	7.4	7.4	7.4	7.4	7.4	7.4	7.4
Bed height	E	0.5	0.5	0.52	0.52	0.5	0.5	0.5
Internal height	F	1.96	1.96	1.96	1.96	1.96	1.96	1.96
Door aperture height	G	1.88	1.88	1.88	1.88	1.88	1.88	1.88
Overall height	H	2.54	2.54	2.56	2.56	2.54	2.54	2.54

CAPACITY		weight in kg						
Gross capacity		3,500	3,500	3,000	3,000	3,500	3,500	3,500
Load capacity		2,140	2,140	1,650	1,650	2,115	2,115	2,115

Load capacity will vary depending on options fitted - For accurate information on weights and pricing, use our interactive configurator at www.brianjamestrailers.co.uk

Equipment

[illegible]

Race Sport

Equipment

	341-						
	5520-35-2-12-B	5520-35-2-12-W	5521-30-2-12-B	5521-30-2-12-W	5521-35-2-12-B	5521-35-2-12-W	
ACCESSORIES	● Standard ○ Option						
Awning - available as LH, RH & both	○	○	○	○	○	○	
Mains power unit	○	○	○	○	○	○	
360° camera	○	○	○	○	○	○	
Rear-view camera	○	○	○	○	○	○	
Reverse / Rear-view camera	○	○	○	○	○	○	
Solar panel	○	○	○	○	○	○	
DECK							
Slick pads x4	○	○	○	○	○	○	
EXTERIOR							
Front access hatches	●	●	●	●	●	●	
Split side doors	●	●	●	●	●	●	
LIGHTING - EXTERIOR							
Flashing side marker lights	○	○	○	○	○	○	
Full LED lighting	●	●	●	●	●	●	
Loading lights	○	○	○	○	○	○	
Reverse lights	○	○	○	○	○	○	
LIGHTING - INTERIOR							
Full LED lighting	●	●	●	●	●	●	
LOADING							
Battery w/ charger	●	●	●	●	●	●	
Manual / Electric tilt-bed	○	○	○	○	○	○	
Assistor ramps	○	○	○	○	○	○	
Race ramps	○	○	○	○	○	○	
Electric winch	●	●	●	●	●	●	
Support stands	●	●	●	●	●	●	
LOAD RESTRAINT							
Tie-down straps	●	●	●	●	●	●	
Wheel chocks	●	●	●	●	●	●	
RUNNING GEAR							
Alloy wheels - Anthracite	●	●	●	●	●	●	
Steel wheels	○	○	○	○	○	○	
Spare wheel	●	●	●	●	●	●	
Locking hitch	●	●	●	●	●	●	
STORAGE							
Deck storage	●	●	●	●	●	●	
Store station	○	○	○	○	○	○	
Tyre rack / Workbench	○	○	○	○	○	○	

Race Sport

Loading angles

	341-																					
	5020-30-2-12-B		5020-30-2-12-W		5020-35-2-12-B		5020-35-2-12-W		5021-30-2-12-B		5021-30-2-12-W		5021-35-2-12-B		5021-35-2-12-W		5520-30-2-12-B		5520-30-2-12-W			
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt		
Rear door	14.5°	6.5°	14.5°	6.5°	14.5°	6.5°	14.5°	6.5°	14.5°	6.5°	14.5°	6.5°	14.5°	6.5°	14.5°	6.5°	14.5°	5°	14.5°	5°		
Rear door w/ Assistor ramps	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°	12/3.5°	4/3.5°		
Rear door w/ Race ramps	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°		

	5520-35-2-12-B		5520-35-2-12-W		5521-30-2-12-B		5521-30-2-12-W		5521-35-2-12-B		5521-35-2-12-W	
	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt	Fixed	Tilt
	Rear door	14.5°	5°	14.5°	5°	14.5°	5°	14.5°	5°	14.5°	5°	14.5°
Rear door w/ Assistor ramps	12/3.5°	3.5/4°	12/3.5°	3.5/4°	12/3.5°	3.5/4°	12/3.5°	3.5/4°	12/3.5°	3.5/4°	12/3.5°	3.5/4°
Rear door w/ Race ramps	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°	12/4°	4/4°